

Message

From: Enck, Judith [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=3DB0C221D8194266B9568FA8961B6CCA-ENCK, JUDITH]
Sent: 1/11/2016 8:28:08 PM
To: Simon, Paul [Simon.Paul@epa.gov]; Evangelista, Pat [Evangelista.Pat@epa.gov]; Maddaloni, Mark [Maddaloni.Mark@epa.gov]
Subject: RE: Hoosick Q&A's

Ex. 5 - Deliberative Process

From: Simon, Paul
Sent: Monday, January 11, 2016 3:09 PM
To: Enck, Judith <Enck.Judith@epa.gov>; Evangelista, Pat <Evangelista.Pat@epa.gov>; Maddaloni, Mark <Maddaloni.Mark@epa.gov>
Subject: Hoosick Q&A's

Ex. 5 - Deliberative Process

From: Carpenter, Angela
Sent: Monday, January 11, 2016 12:13 PM
To: Enck, Judith <Enck.Judith@epa.gov>; Simon, Paul <Simon.Paul@epa.gov>; Matthews, Joan <Matthews.Joan@epa.gov>; Evangelista, Pat <Evangelista.Pat@epa.gov>
Subject: RE: Hoosick PFOA Detection limits and Performance Standards issue

Ex. 5 - Deliberative Process

From: Enck, Judith

Sent: Monday, January 11, 2016 12:09 PM

To: Simon, Paul <Simon.Paul@epa.gov>; Matthews, Joan <Matthews.Joan@epa.gov>; Evangelista, Pat <Evangelista.Pat@epa.gov>; Carpenter, Angela <Carpenter.Angela@epa.gov>

Subject: FW: Hoosick PFOA Detection limits and Performance Standards issue

Fyi please review

From: David Engel [<mailto:DEngel@nolanandheller.com>]

Sent: Monday, January 11, 2016 11:20 AM

To: Enck, Judith <Enck.Judith@epa.gov>

Subject: Hoosick PFOA Detection limits and Performance Standards issue

Judith:

Following up on discussions of yesterday, attached is an EPA document (2009) relating to testing of PFAs, including PFOA.

Please go to Table 5 on page 40 of 50. The detection limit for PFOA is stated as 1.7 PPT. Our expert, Dr. Robert Michaels has expressed the view that the detection limit may now be lower than 1.7 given further development in the science. In any event, there appears to be no basis for setting 20 PPT as a performance standard for the treatment systems to be installed at the Hoosick water plant.

The issue of setting a performance standard for the treatment system is separate from those issues relating to setting MCLs or guidance values for PFOA exposure. As we have discussed, EPA's guidance value for short term exposure has been 400 PPT. EPA has also proposed a chronic or long term exposure guidance value of 100 PPT. It is also clear that the science is driving these values down and that any further guidance values will be significantly lower. That said, Healthy Hoosick Water (HHW) has advocated the position that the treatment systems to be installed at the Hoosick plant should operate with a goal of achieving full removal of PFOA (or as close to full removal as is possible).

Apparently working on behalf of both Saint-Gobain and the Village, C T Male proposed that the operational goal of the treatment system should be 20 PPT. This goal or value was expressed on the belief that 20 PPT represented the detection limit for PFOA in water. Based upon both available test results for PFOA at levels below 20 PPT and the available literature, HHW has rejected the 20 PPT value as representing an operational standard or goal for the treatment systems.

Thank you for your efforts.

Dave

David A. Engel, Esq.
Nolan & Heller, LLP
39 N. Pearl Street
Albany, NY 12207
Phone: 518-432-3168

IRS Circular 230 Notice:

To ensure compliance with requirements imposed by the IRS, we inform you that any U.S. Federal tax advice contained in this communication (including any attachments) is not intended or written to be used, and cannot be used, for the purpose of (i) avoiding penalties under the Internal Revenue Code or (ii) promoting, marketing or recommending to another party any transaction or matter addressed herein.

Confidentiality Notice:

This message (including any attachments) is being sent by or on behalf of a lawyer. It is intended exclusively for the named recipient. This communication may contain information that is proprietary, privileged or confidential or otherwise legally exempt from disclosure under applicable law. If you are not the intended recipient, you are not authorized to read, print, retain, copy or disseminate this message or any part of it. If you have received this message in error, or are not the intended recipient, please notify the sender immediately by e-mail or telephone at (518) 449-3300, and delete the original message (including any attachments) without making any copies. Receipt by anyone other than the intended recipient is not a waiver of any attorney-client, work product or other applicable privilege.

Disclaimer

The information contained in this communication from the sender is confidential. It is intended solely for use by the recipient and others authorized to receive it. If you are not the recipient, you are hereby notified that any disclosure, copying, distribution or taking action in relation of the contents of this information is strictly prohibited and may be unlawful.

This email has been scanned for viruses and malware, and may have been automatically archived by **Mimecast Ltd**, an innovator in Software as a Service (SaaS) for business. Providing a **safer** and **more useful** place for your human generated data. Specializing in; Security, archiving and compliance. To find out more [Click Here](#).